

Spandeck

ALUMINIUM WALKWAY AND BRIDGING SYSTEMS




INSTANT
QUALITY & STRENGTH YOU CAN TRUST

Spandeck

ALUMINIUM WALKWAY AND BRIDGING SYSTEMS

The Instant UpRight Spandeck system is a lightweight walkway, bridging and staging system. This system provides a safe, simple and cost effective solution for even the most bespoke of applications. Lightweight for easy handling, yet durable for the most arduous of applications.

With spans ranging from 3.7m to 9.1m, there are limitless combinations. Spandeck provides a cost effective solution, even in perceived bespoke applications, and where other products simply will not work. T junctions and Four way intersection deck pieces expand the Instant UpRight system to provide a comprehensive solution for access.



**INSTANT
UPRIGHT**



Key features and benefits


- Spandeck provides a high level of **safety (fall/edge protection)** for maintenance personnel working at height.
- Enhanced user safety through integral **toeboards, guardrails, guardrail posts, handrails and harnesses**. Spandeck can easily be fitted with handrails on one or both sides of the walkway. Handrails provide a permanent, secure and relatively inexpensive method of controlling fall risks.
- **60% lighter than alternative solutions.**
- The **lightweight** alloy construction makes Spandeck quick and easy to **install and dismantle** and can be manually lifted by two people eliminating the need for expensive craneage making it an ideal solution for buildings with restricted access, such as plant rooms and theatres.
- **Anti-slip self draining finish** to eliminate any trip or slip hazards, stiffened with end hooks to connect to 2" diameter tube.
- Platforms can be inverted and used in multiple combinations to provide **decks and work areas of virtually unlimited dimensions**.
- Fabricated from **high strength aluminium** the Spandeck is **corrosion resistant, weatherproof and maintenance free**. Note the fasteners need to be checked regularly for tightness.
- Spandeck walkways are designed specifically for a given application therefore; they not only give you **higher performance**, but in most cases actually **cost you considerably less (up to 30% less expensive) than traditional site-fabricated products**.
- Lightweight, durable and guaranteed for 10 years.



Built in versatility




Linked Spandecks provide a platform for under bridge refurbishment.



Single Spandeck provides walkway to observation tower in Brunei rainforest.



Spandeck links 2 towers for chimney maintenance in Belfast.




Spandeck used to gain close access for maintenance to the roof of the Famous Orient Express.



Components & part numbers - Spandeck

Part No	Description	Part No	Description
Platforms		Toeboards	
88012-01	3.7m (12') deck length	88084	1.2m long, 0.15m high Side Toeboard
88014-01	4.3m (14') deck length	88086	1.8m long, 0.15m high Side Toeboard
88016-01	5.0m (16') deck length	88088	2.4m long, 0.15m high Side Toeboard
88018-01	5.5m (18') deck length	88184	1.2m long End Toeboard
88020-01	6.1m (20') deck length	88186	1.8m long End Toeboard
88022-01	6.7m (22') deck length		
88024-01	7.3m (24') deck length	Guardrail Posts	
88030-01	9.1m (30') deck length	88055	0.9m high (one coupler)
88230-01	9.1m deck length (in 2 halves)	88065	1.0m high (two couplers)
		88817	Tee head post & midrail (single platform)
Handrails		Supplementary	
88112	3.7m Spandeck Handrail	88220	Fish Plates with Nuts & Bolts
88114	4.3m Spandeck Handrail	88110	Short Knee Brace
88116	5.0m Spandeck Handrail	88111	Long Knee Brace
88118	5.5m Spandeck Handrail	E187-63R	Half GR frame to the linked tower (right)
88120	6.1m Spandeck Handrail	E187-63L	Half GR frame to the linked tower (left)
88122	6.7m Spandeck Handrail	E811-70	T-frame for handr. inc. right angle coupler
88124	7.3m Spandeck Handrail		
88130	9.1m Spandeck Handrail		



INSTANT UPRIGHT

Instant UpRight Ltd.

Unit S1, Park West Industrial Park,
Friel Avenue, Nangor Road,
Dublin 12, Ireland.

T: +353 (0)1 6209300

F: +353 (0)1 6209301

E: info@instantupright.com

www.instantupright.com



MANUFACTURED BY
INSTANT UPRIGHT
www.instantupright.com

For safe use and assembly please refer to manufacturer's assembly guide. Specifications are subject to change without notice. The photographs in this brochure are for promotional purposes only.